



barrieretest.at

Kostenloser Barrierefreiheits-Test

BaFG Compliance Audit Checklist

WCAG 2.2 Conformance for Accessibility Testing

Client Information

Client Name:	
Website/Application:	
Audit Date:	
Auditor:	
Project Reference:	



barrieretest.at

Kostenloser Barrierefreiheits-Test

Executive Summary

Overall Compliance Status: ☐ Compliant ☐ Partially Compliant ☐ Non-Compliant

Summary of Findings:

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

WCAG 2.1 Level AA Compliance Checklist

1. Perceivable

SC#	Success Criterion	Level	Pass	Notes
1.1.1	Non-text Content All non-text content has text alternatives	A	☐ ✓ ☐ X ☐ N/A	
1.2.1	Audio-only and Video-only (Prerecorded) Alternatives for time-based media	A	☐ ✓ ☐ X ☐ N/A	
1.2.2	Captions (Prerecorded) Captions provided for prerecorded audio in video	A	☐ ✓ ☐ X ☐ N/A	
1.2.3	Audio Description or Media Alternative Alternative or audio description for video	A	☐ ✓ ☐ X ☐ N/A	
1.2.4	Captions (Live) Captions provided for live audio content	AA	☐ ✓ ☐ X ☐ N/A	
1.2.5	Audio Description (Prerecorded) Audio description for prerecorded video	AA	☐ ✓ ☐ X ☐ N/A	
1.3.1	Info and Relationships Information structure is programmatically determinable	A	☐ ✓ ☐ X ☐ N/A	
1.3.2	Meaningful Sequence Reading sequence is programmatically determinable	A	☐ ✓ ☐ X ☐ N/A	
1.3.3	Sensory Characteristics Instructions don't rely solely on sensory characteristics	A	☐ ✓ ☐ X ☐ N/A	
1.3.4	Orientation Content not restricted to single display orientation	AA	☐ ✓ ☐ X ☐ N/A	
1.3.5	Identify Input Purpose Input fields collecting user info have autocomplete	AA	☐ ✓ ☐ X ☐ N/A	
1.4.1	Use of Color Color not used as only visual means of conveying info	A	☐ ✓ ☐ X ☐ N/A	
1.4.2	Audio Control Auto-playing audio can be paused or stopped	A	☐ ✓ ☐ X ☐ N/A	
1.4.3	Contrast (Minimum) Text has contrast ratio of at least 4.5:1	AA	☐ ✓ ☐ X ☐ N/A	
1.4.4	Resize Text Text can be resized up to 200% without loss	AA	☐ ✓ ☐ X ☐ N/A	
1.4.5	Images of Text Text used instead of images of text where possible	AA	☐ ✓ ☐ X ☐ N/A	



1.4.10	Reflow Content reflows without horizontal scrolling	AA	☐ ✓ ☐ X ☐ N/A	
1.4.11	Non-text Contrast UI components have 3:1 contrast ratio	AA	☐ ✓ ☐ X ☐ N/A	
1.4.12	Text Spacing Content readable with modified text spacing	AA	☐ ✓ ☐ X ☐ N/A	
1.4.13	Content on Hover or Focus Additional content can be dismissed/hovered	AA	☐ ✓ ☐ X ☐ N/A	

2. Operable

SC#	Success Criterion	Level	Pass	Notes
2.1.1	Keyboard All functionality available via keyboard	A	☐ ✓ ☐ X ☐ N/A	
2.1.2	No Keyboard Trap Keyboard focus can be moved away from components	A	☐ ✓ ☐ X ☐ N/A	
2.1.4	Character Key Shortcuts Keyboard shortcuts can be turned off or remapped	A	☐ ✓ ☐ X ☐ N/A	
2.2.1	Timing Adjustable Time limits can be adjusted by user	A	☐ ✓ ☐ X ☐ N/A	
2.2.2	Pause, Stop, Hide Moving/blinking content can be paused	A	☐ ✓ ☐ X ☐ N/A	
2.3.1	Three Flashes or Below No content flashes more than 3 times per second	A	☐ ✓ ☐ X ☐ N/A	
2.4.1	Bypass Blocks Mechanism to bypass repetitive content blocks	A	☐ ✓ ☐ X ☐ N/A	
2.4.2	Page Titled Pages have descriptive titles	A	☐ ✓ ☐ X ☐ N/A	
2.4.3	Focus Order Focus order preserves meaning and operability	A	☐ ✓ ☐ X ☐ N/A	
2.4.4	Link Purpose (In Context) Link purpose determinable from link text or context	A	☐ ✓ ☐ X ☐ N/A	
2.4.5	Multiple Ways Multiple ways to locate pages within site	AA	☐ ✓ ☐ X ☐ N/A	
2.4.6	Headings and Labels Headings and labels describe topic or purpose	AA	☐ ✓ ☐ X ☐ N/A	



2.4.7	Focus Visible Keyboard focus indicator is visible	AA	☐ ✓ ☐ X ☐ N/A	
2.4.11	Focus Not Obscured Focused elements not completely hidden by other content	AA	☐ ✓ ☐ X ☐ N/A	
2.4.12	Focus Not Obscured (Enhanced) Focus indicators not obscured at all	AAA	☐ ✓ ☐ X ☐ N/A	
2.4.13	Focus Appearance Focus indicators meet minimum size/contrast requirements	AAA	☐ ✓ ☐ X ☐ N/A	
2.5.1	Pointer Gestures Multipoint/path gestures have single pointer alternative	A	☐ ✓ ☐ X ☐ N/A	
2.5.2	Pointer Cancellation Pointer input can be cancelled	A	☐ ✓ ☐ X ☐ N/A	
2.5.3	Label in Name Visible labels match accessible names	A	☐ ✓ ☐ X ☐ N/A	
2.5.4	Motion Actuation Motion-triggered functionality has UI alternative	A	☐ ✓ ☐ X ☐ N/A	
2.5.7	Dragging Movements Drag functionality has single-pointer alternative	AA	☐ ✓ ☐ X ☐ N/A	
2.5.8	Target Size (Minimum) Interactive elements meet minimum 24x24 CSS pixel size	AA	☐ ✓ ☐ X ☐ N/A	

3. Understandable

SC#	Success Criterion	Level	Pass	Notes
3.1.1	Language of Page Page language is programmatically determinable	A	☐ ✓ ☐ X ☐ N/A	
3.1.2	Language of Parts Language changes are programmatically determinable	AA	☐ ✓ ☐ X ☐ N/A	
3.2.1	On Focus No unexpected context changes on focus	A	☐ ✓ ☐ X ☐ N/A	
3.2.2	On Input No unexpected context changes on input	A	☐ ✓ ☐ X ☐ N/A	
3.2.3	Consistent Navigation Navigation mechanisms are consistent	AA	☐ ✓ ☐ X ☐ N/A	
3.2.4	Consistent Identification Components with same function identified consistently	AA	☐ ✓ ☐ X ☐ N/A	



3.2.6	Consistent Help Help mechanisms appear in consistent locations	A	☐ ✓ ☐ X ☐ N/A	
3.3.1	Error Identification Input errors are identified and described	A	☐ ✓ ☐ X ☐ N/A	
3.3.2	Labels or Instructions Labels/instructions provided for user input	A	☐ ✓ ☐ X ☐ N/A	
3.3.3	Error Suggestion Error corrections are suggested when known	AA	☐ ✓ ☐ X ☐ N/A	
3.3.4	Error Prevention (Legal, Financial, Data) Submissions are reversible/checkable	AA	☐ ✓ ☐ X ☐ N/A	
3.3.7	Redundant Entry Users don't re-enter previously entered information	A	☐ ✓ ☐ X ☐ N/A	
3.3.8	Accessible Authentication (Minimum) Authentication doesn't rely solely on cognitive tests	AA	☐ ✓ ☐ X ☐ N/A	
3.3.9	Accessible Authentication (Enhanced) Enhanced authentication accessibility requirements	AAA	☐ ✓ ☐ X ☐ N/A	



4. Robust

SC#	Success Criterion	Level	Pass	Notes
4.1.1	Parsing Content has complete start/end tags, proper nesting	A	☐ ✓ ☐ X ☐ N/A	
4.1.2	Name, Role, Value UI components have determinable name/role/state	A	☐ ✓ ☐ X ☐ N/A	
4.1.3	Status Messages Status messages presented via roles/properties	AA	☐ ✓ ☐ X ☐ N/A	



Additional Testing Areas

Keyboard Navigation Testing

☐ Tested ☐ Not Tested ☐ Not Applicable

Findings:

Screen Reader Compatibility (NVDA, JAWS, VoiceOver)

☐ Tested ☐ Not Tested ☐ Not Applicable

Findings:

Mobile Accessibility (iOS/Android)

☐ Tested ☐ Not Tested ☐ Not Applicable

Findings:

Browser Compatibility Testing

☐ Tested ☐ Not Tested ☐ Not Applicable

Findings:



Automated Testing Tools Results

☐ Tested ☐ Not Tested ☐ Not Applicable

Findings:

Manual Testing Findings

☐ Tested ☐ Not Tested ☐ Not Applicable

Findings:

User Testing with Assistive Technologies

☐ Tested ☐ Not Tested ☐ Not Applicable

Findings:



Recommendations & Remediation Plan

Critical Issues (Must Fix)

Major Issues (Should Fix)

Minor Issues (Consider Fixing)



Audit Completion

Auditor Signature:	
Date:	
Next Review Date:	

barrieretest.at | Kostenloser Barrierefreiheits-Test
www.barrieretest.at

